

Product datasheet

Specifications



AvatarOn, TV socket, , 75 Ohm, Wine Gold

E8331TV_WG

Main

Product Or Component Type	TV socket TV/FM/SAT socket
Device Application	Communication
Tv Socket Type	TV
Number Of Gangs	1 gang
Colour Tint	Wine gold

Complementary

Device Presentation	Complete product
Device Mounting	Flush Surface
Average Impedance	75 Ohm
Material	Polycarbonate: surround Polycarbonate: grid plate
Bandwidth	5...860 Hz
Colour Tint	Wine gold
Ip Degree Of Protection	IP20
Width	87 mm
Height	87 mm
Depth	26 mm

Environment

Ambient Air Temperature For Operation	-5...45 °C
Relative Humidity	0...95 %
Standards	GB 17466

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.6 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	58.0 g

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	630.0 g

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Transparency RoHS/REACH

Well-being performance

 Mercury Free

 RoHS Exemption Information [Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations