



ACE PRO Wi-Fi Mini PT

3MP

Model Name: GODSA04

Features

Detection

Audio Intercom

3MP (2304 x 1296) resolution

All time color vision

Full duplex audio intercom (built-in high sensitivity mic & speaker)

Supports IOX digital zoom

Smart human detection, motion detection

Mobile notification on human & motion detection, cruise support

Customized pre-recorded voice alarm

Support micro Sd card up to 256gb

Compatible with all ONVIF supported NVRs

Key features

Wi-Fi alexa Compatible Enabled with Alexa

256 GB Micro SD Card
IP65 Rating
Cruise Support

Technical Specifications

Human	Full-duplex	QR code scanning / bluetooth for network connection Monitoring: Mobile / Browser (Godrej secure hub) Alexa support IP 65 rating Micro SD card tamper detection
Product Code		Day & night
Image sensor		Min illumination
Resolutions		DNR
Lens		White balance
IR LED		WDR
IR Distance		Mirror / Flip
White LED		Electronic shutter
White LED distance		On screen display (OSO)
Video compression standard		ACE PRO Wi-Fi Mini PT ER
Video streaming		1/3" CMOS
Audio Input/ Output		Sensor 3MP
Audio compression standard		(2304 x 1296)
Zoom		M 12 4 mm Lens
Light mode		6 Array

30 m
6 White array
20 m
H.264/ 14.265
Main Stream: 2304 x 1296 @ 15
fps
Sub Stream: 800 x 448 @ 15 fps
Two-way audio, Built-in microphone
and speakers

AAC / G.711A
IOX Digital
Full Color / Infrared / Intelligent
IR-cut auto ICR
Color: 0.01 Lux. Black & White: 0.001 Lux
3D digital noise reduction
Auto
D-WDR
On / Off
Auto
Date, Time, & Title

O Toll Free: 1800 209 9955 Phone: 080-6743-6743 (Service) Whatsapp Support: +91 9321665511 (Service)
Web: www.godrejenterprises.com Email: secure@godrej.com (Sales), secare@godrej.com (Service)



Godrej Enterprises Group



ACE PRO Wi-Fi Mini PT

Model Name: GODSA04

3MP

Technical Specifications

AI Features	Storage temperature / Humidity
Monitoring	Housing type
Storage	Dimension
Wired network	Net weight
Wi-Fi network	Gross weight
Protocol	Motion detection, Human detection, Smart tracking
Connectors	Android, iOS, Browser (Godrej secure hub)
Slots	Support micro SD card up to 256 GB
Button	RJ45 x 1 (10M / 100M adaptive ethernet port)
Light mode indication	Wi-Fi (IEEE802.11 b/g/n)
Power input	ONVIF / RTSPS/ RTMP
Power consumption	RJ45 LAN connector (100 Mbps) and DC power input
Working temperature / Humidity	Micro SD card
	Reset button

LED Blink: Not connected to network
LED Continuous ON: Connected
to Network
DC: 12V / IA (DC 2.1 mm
connector)

0-50°C RH Less than 95% (No Condensation)
-20°C to / 20% to 90% RH
Plastic (Ip65)
191 mm X 132 mm X 170 mm (H x w x L)
0.550 kg
0.800 kg

O Toll Free: 1800 209 9955 Phone: 080-6743-6743 (Service) Whatsapp Support: +91 9321665511 (Service)
Web: www.godrejenterprises.com Email: secure@godrej.com (Sales), secare@godrej.com (Service)