



 **ezyKam+**

**D31G - 3MP 4G Dome Camera**



## 3MP Video Resolution

Designed to represent an enhanced picture quality in 3MP video resolution so that every detail can be viewed with vivid clarity and a pixilated video feed can be avoided.

## 4G

This Ezykam+ by CP PLUS does not even require installation hassles and you can easily place it on a mount, plug it in, connect using 4G network and you are good to go.





## Motion Detection Alerts

This camera detects movements in the video frame and send alerts in real-time to always keep you notified about what's happening at home.

## Human Body Detection

Designed to provide human detection and intelligent alerts, which means only being alerted only when the need occurs as the camera detects people as opposed to animals, passing vehicles, or other inanimate moving objects.





**Privacy Mode On**




**Privacy Mode Off**

# Privacy Mode

Using privacy mode, you can block the camera view & recording to maintain privacy.

## IR Lights

In areas of low illumination &/or dark places, infrared lights help to present a clear video feed even at night, increasing and enhancing the visibility of the lens to capture every detail.



# View & Talk

Enables you to stay in touch with your loved ones from anywhere, meaning you can also talk while viewing the live video feed on the phone.



# Specification - D31G

| Feature                       | Specification                                   |
|-------------------------------|-------------------------------------------------|
| Image Sensor                  | 1/3" 3MP CMOS sensor (0.84667cm)                |
| Compression                   | H.265/ H.264                                    |
| Shutter                       | Shutter adaptive                                |
| Resolution                    | 3MP                                             |
| Web Interface                 | Support                                         |
| Image Flip                    | Support horizontal and vertical flip            |
| Image Resolution              | Main stream: 2304 x 1296, Sub stream: 640 x 360 |
| Stream                        | Dual Stream                                     |
| Day and Night Conversion Mode | ICR infrared filter type                        |
| BLC                           | Support                                         |
| Digital Noise Reduction       | 3D digital noise reduction                      |
| Lens                          | 4mm                                             |
| Frame Rate                    | 15fps                                           |
| Wide Dynamic Range            | Digital wide dynamic                            |
| Video Compression Rate        | HD and SD two modes, bit rate adaptive          |
| Audio Compression             | AAC/G711A                                       |
| Audio Communication           | Two Way Audio                                   |
| Audio Input                   | Built-in Mic                                    |

| Feature               | Specification                               |
|-----------------------|---------------------------------------------|
| Audio Output          | Speaker                                     |
| Human Body Detection  | Support                                     |
| Siren                 | Support                                     |
| 4G                    | FDD-LTE:B1/B3/B5/B8;TDD-LTE:B34/B39/B40/B41 |
| SIM Port              | Nano SIM                                    |
| Ethernet Port         | RJ45 (10/100Mbps)                           |
| Protocol              | HTTP, RTSP, RTMP, Onvif                     |
| Privacy Masking       | Support                                     |
| Smart Alarm           | Motion detection alarm                      |
| Alarm Information     | Alarm information push                      |
| IR Range              | IR LEDs up to 20-30 meters                  |
| IR LED                | 2                                           |
| Smart Phone           | iOS & Android                               |
| Storage Mode          | Micro SD card (maximum 256GB)               |
| Weatherproof Standard | IP65                                        |
| Working Temperature   | -20°C~50°C                                  |
| Working Humidity      | 95% (non-condensing)                        |
| Power Supply          | DC12V/1A                                    |

# Applications



Kids Safety



Office



Home



Retail Shops



Pet Safety