



CYBERNAUTT

K4E



CYBERNAUTTY

K4E

4MP HD DUAL LENS 4G SIM CAMERA



Supports
cloud storage



Alarm push
notification



4MP
camera



Human
Detection



Two way
audio



Motion
Detection



Customizable
activity zone



4G SIM based
Connectivity



storage
upto 128 Gb



INTERACTIVE TWO-WAY AUDIO
CONVERSE IN REALTIME, CONNECTING ANYTIME,
ANYWHERE



CYBERNAUTT
K4E

IP66 WATERPROOF

WATERPROOF SUN PROTECTION DUSTPROOF AND LIGHTNING PROTECTION




Lightning
protection



Dust-Proof



Waterproof




Sunproof





 V380 now
"254826985" has detected motion!



INSTANT MOTION DETECTION ALERTS

RECEIVE INSTANT NOTIFICATIONS UPON
DETECTING MOVEMENT



MOTION DETECTION



PUSH NOTIFICATION

CYBERNAUTTY
K4E



CYBERNAUTTY

90°


350°

SEAMLESS PAN & TILT SURVEILLANCE
ENSURES EVERY ANGLE IS MONITORED




CYBERVAULT
K4E

DUAL LENSES EXPAND YOUR VIEW




EXPERIENCE EVERY DETAIL IN
STUNNING 4MP HD CLARITY

DUAL-LENS, SPLIT-SCREEN VIEW COMPREHENSIVE 360-DEGREE COVERAGE.



Dual Cameras Eliminate Blind Spots



USAGE SCENARIOS

VERSATILE FOR NUMEROUS SETTINGS



Suitable for outdoor courtyards



Suitable for outdoor farms



Suitable for outdoor fish ponds



Suitable for outdoor orchard

COMPATIBLE WITH VARIOUS PLATFORMS



IOS

PC

PAD

Android

DESCRIPTION

1. Capture stunning HD photos with the 4MP HD dual lens camera featuring 4G sim capability. Upgrade your photography game today!
2. Stay connected and snap high-quality photos with the 4MP HD dual lens camera with 4G sim support. Don't miss a single moment!
3. Elevate your photography skills with the advanced 4MP HD dual lens camera that supports 4G sim connectivity. Unleash your creativity!
4. Experience crystal-clear image quality with the 4MP HD dual lens camera equipped with 4G sim technology. Take your photos to the next level!
5. Upgrade your smartphone photography with the 4MP HD dual lens camera and 4G sim compatibility. Capture every detail with precision.
6. Say goodbye to blurry photos with the 4MP HD dual lens camera with 4G sim functionality. Take your photography skills up a notch!
7. Make every shot count with the high-performance 4MP HD dual lens camera featuring 4G sim support. Perfect for photography enthusiasts!
8. Capture breathtaking moments in HD with the innovative 4MP dual lens camera that supports 4G SIM. Elevate your photography game now!
9. Snap stunning photos on the go with the 4MP HD dual lens camera equipped with 4G sim technology. Upgrade your photography experience today!
10. Transform your smartphone into a professional camera with the 4MP HD dual lens camera that supports 4G sim connectivity. Take amazing shots!

Technical Specification

Model:	K4E
APP:	V380 Pro
System structure:	Embedded Linux system, ARM chip structure
Chip:	KM01D, 1/2.9" MIS2008*2
Resolution:	2.0MP+2.0MP
Lens:	3.6MM + 3.6mm
Pan-tilt:	Rotates Horizontal:350° Vertical: 90°
Preset point quantity:	6
Video compression standard	H.265/15FPS
Video format:	PAL
Minimum illumination:	0.01Lux@ (F2.0, VGC ON),0.Luxwith IR
Electronic shutter:	Auto
Backlight compensation	Support
Noise reduction:	2D、 3D
Infrared LED:	Bullet camera: 4pcs Dual LED PTZ camera: 16pcs white LED + 12pcs Infrared LED
Network connection:	Suport 4G-SIM card and adapt to RJ45 Network port
Band:	B1/3/5/8/38/39/40/41
Night vision	IR-CUT switch Automatic, about 5-8meters (It varies from environment) White Led can be remote control via APP:①Turn ON ②Turn OFF ③Auto (In automatic mode, the infrared light will be turned ON after the IR-cut switch to night vision automatically , it canintelligently detected human body, and Turn ON/OFF the White light intelligently)
Audio:	Built-in microphone and speaker, support two-way real-time audio transmission. ADPCM audio compression standard, self-adaptivestream code
Network protocol:	TCP/IP、 DDNS、 DHCP
Alarm:	①Motion detection and picture push ②AI Human intrusion Detection
ONVIF	No
Storage:	TF Card (Max 128G) ; Cloud storage /Cloud disk (optional)
Power input:	12V/2A
Work environment:	Working temperature:-10℃ ~ + 50℃ Working Humidity: ≤95%RH