

P26I12W





P26I12W



3MP + 3MP DUAL LENS DUAL LIGHT SMART WIFI CAMERA





Supports cloud storage



Alarm push notification



3MP + 3MP Camera



Human Detection



Two way audio



Motion Detection



Customizable activity zone



Wifi based Connectivity



storage up to 512 GB

P26112W

1P66 WEATHERPROOF

THUNDER

RAIN

SNOW

SUN PROTECTION IT CAN OPERATE

EFFECTIVELY IN

HEAVY RAIN,
SNOW; DUST, AND

THUNDERSTORMS

★ ★
YEAR
WARRANTY











12X OPTICAL ZOOM

PTZ Camera 12X Auto Focus Lens

12X OPTICAL ZOOM DUALSCREEN

P26I12W







A FIXED CAMERA ON TOP MAINTAINS A CONSISTENT VIEWING ANGLE WITH A OPTICAL ZOOM LENS, ENABLING PTZ ROTATION OF V: 90 DEGREES AND H: 355 DEGREES



DUAL LIGHTS SUPPORT 3 KINDS OF NIGHT VISION

COLORFUL NIGHT VISION

SERIES

R NIGHT VISION

DUAL LIGHTS SUPPORT THREE TYPES OF NIGHT VISION.
THE BUILTIN LEDS AND SPOTLIGHT PROVIDE CLEAR
COLOR VISIBILITY AT NIGHT, WHILE INTEGRATED RED
AND BLUE FLASHING LIGHTS SERVE AS AN ALARM TO
DISCOURAGE HTRUDERS

SMART NIGHT VISION

CUBERNAUTT







Alfumein treeking

WHEN A HUMANOID FIGURE IS DETECTED BY THE BULLET CAMERA, THE PTZ CAMERA WILL BE TRIGGERED AND REDIRECTED TO THE LOCATION WHERE THE ALERT WAS ACTIVATED





Wall

PRO
SERIES

SERIES

PRO





Multi User remote Online Viewing

Support Android/ISO/Window







iOS



Windows



ICsee

Description

Introducing the Cybernautt P26I12W: The Ultimate Outdoor CCTV Camera for Smart Surveillance

Elevate your security game with the Cybernautt P26I12W, a cuttingedge duallens outdoor CCTV camera designed to deliver unparalleled performance and advanced features. With 3MP + 3MP dual lenses and 12X optical zoom, this camera captures crystalclear details, ensuring you never miss a moment, whether it's day or night.

Key Features:

Dual Lens Precision: Dual 3MP + 3MP lenses provide superior image quality and enhanced coverage, allowing you to monitor wide areas with exceptional clarity.

12X Optical Zoom: Get up close and personal with 12X optical zoom, perfect for identifying distant objects or individuals with precision.

WiFi Connectivity: Seamlessly connect to your home or business network for realtime monitoring and remote access via the Cybernautt app.

Massive Storage: Supports up to 512GB SD card for extended recording, ensuring you have ample space to store critical footage.

TwoWay Communication: Builtin microphone and speaker enable clear, twoway communication, making it ideal for interactive monitoring or deterring intruders.

Advanced Night Vision: Equipped with IR night view and color night view powered by highlux LEDs, the P26I12W delivers vivid, detailed footage even in lowlight conditions.

360° Coverage: With 355° pan rotation and 90° tilt, this camera offers maximum coverage, eliminating blind spots and ensuring comprehensive surveillance.

Al Powered Intelligence:

Human and Motion Detection: Smart AI algorithms distinguish between humans and other movements, reducing false alarms.

Human Tracking: Automatically tracks and follows human movement, keeping intruders in focus.

Customizable Activity Zones: Define specific areas for monitoring and receive instant alerts when activity is detected.

Alarm System: Integrated alarm system deters intruders with audible alerts and notifications.

Why Choose Cybernautt P26I12W?

The Cybernautt P26I12W is more than just a security camera—it's a complete surveillance solution. Whether you're safeguarding your home, office, or commercial property, this camera combines advanced technology, robust build quality, and userfriendly features to provide peace of mind. Its Aldriven capabilities, superior night vision, and flexible storage options make it a standout choice for modern security needs.

Upgrade to the Cybernautt P26I12W and experience the future of outdoor surveillance today!

TECHNICAL SPECIFICATIONS

Model	P26I12W Pro Series
Image Sensor	6MP (3MP+3MP) 1/2.8" CMOS
Mini Illumination	Color 0.01Lux@F1.2(AGC ON), O Lux with IRBlack and White 0.001 Lux @ (F1.2,AGC ON),O Lux with IR
Digital Noise Reduction	2D/3D DNR
Image Settings	Image Flip
Function	remote monitoring; push message after human detection alarm; image capture
Lens	optical zoom lens (4.794mm)
Rotate Range	Pan rotation:0~355º, Tilt rotation:0~90º
Angle	Manual control of the rotation adjustment according to the scene to be monitored
Image Output	Main Stream: 2304*2592@12fps
	SubStream: 640*720@12fps
Audio Compression	G.711; Support Two Way Audio
General	Human detection, Human tracking, Intrusion alarm, Line crossing detection
Alarm	SD card recording, APP alarm, Sound and light alarm
Mobile View	Android, IOS (ICSEE)
Warm Light Distance	Up to 60 m
IR Distance	Up to 60 m
LEDS	6 PCS IR LEDS +4 PCS White Lights + 6 PCS Dual Wick LEDS
Lighting mode	Starlight full color; Infrared night vision; Intelligent alert
Power Supply	DC 12V±25%
Power Connector	Ф5.5mm
Power consumption	≤12w
Operating Conditions	(25°C ~ 45°C) humidity 95% or less (noncondensing)
Factory Data Reset	Support