

TECHNICAL SPECIFICATION

FEATURES	DESCRIPTION	FOGG-PRO ULV FOGGER MODEL (SSFM)
Timer Device	Principle	Portable
	Timer Devices	Mechanical Timer (1-60 Minutes) Auto Off Function Available
Particle Size	Droplet Size of fog	Submicron Size (Non Wetting 10 Fit Distance)
Liquid Flow Rate	Fog Output	3 Litres. /Hr. Adjustable (50ml/minute Non-Wetting Effect)
Flow Control Mechanism	Flow Metering Systems	Available
Nozzle Systems	Nozzle	SS 316 Gr. (Jet Nozzle)
Tank Capacity	Solution Tank	5 Litres. (SS 316 Grade SS Tank Corrosion Free)
Air Filter	Filter	Triple Stage with clamp (For dust and fog protection)
Area Coverage	Coverage Capacity	>10,000 Cubic Fts.

D-1907, Westgate, Nr. YMCA Club, Makarba, Ahmedabad -380015, Gujarat, India.

Email. Marketing@aptusmeditech.com

Mobile : +91-7490001871, 7490001870

www.aptusmeditech.com



Distance	Distance	50 ft Distance 30 Ft high
Motor	Speed of Motor	22,000 RPM (Approx)
Power Supply	Power	230 VAC, 50/60 Hz.
Material of Control	MOC	Handle, Strainer, Nipples, Connectors, Hardware SS MADE. Tubing: Silicon Grade (Complies with FDA & USP Class VI)
Dry Weight	Weight	6 ~ 7 Kgs.
Warranty	Warranty	1 Year Warranty**
Certification	Certificate	ISO 9001-2008 ISO 13485 :2016 CE Certified GST Registered

---X---X---X---

D-1907, Westgate, Nr. YMCA Club, Makarba, Ahmedabad -380015, Gujarat, India.**Email. Marketing@apttusmeditech.com****Mobile : +91-7490001871, 7490001870****www.apttusmeditech.com**



**APTUS
MEDITECH**

Where Precision Meets Performance

+91-7490001871

+91-9016343662

GST : 24ACCFA0773E1ZW

AN ISO 9001 : 2015, ISO 13485:2016 AND CE Certified Manufacturer of ULV Fogger, Humidification Systems and Disinfectant Solution

FOGG-PRO ULV FOGGER MODEL (SSFM)



D-1907, Westgate, Nr. YMCA Club, Makarba, Ahmedabad -380015, Gujarat, India.

Email. Marketing@apttusmeditech.com

Mobile : +91-7490001871, 7490001870

www.apttusmeditech.com