Veriton M200-P565











Operating system ⁴	Windows 10 64-bit Linux OS	
CPU and chipset ¹	AMD Picasso Processor series (R3, R5) R3 3200G (3.6 Ghz; 4 Cores; 6 MB Cache) R5 3400G (3.7 Ghz; 4 Cores; 6 MB Cache)	AMD Cezanne Processor series (R3, R5 , R7) R3 5300G / 5350G (4.0 Ghz ; 4 Cores ; 10 MB Cache) R5 5600G / 5650G (3.9 Ghz ; 6 Cores ; 19 MB Cache) R7 5700G / 5750G (3.8 Ghz ; 8 Cores ; 20 MB Cache)
	AMD Renoir Processor series (R3, R5 , R7) R3 4300G / 4350G (3.8 Ghz; 4 Cores; 6 MB Cache) R5 4600G / 4650G (3.7 Ghz; 6 Cores; 11 MB Cache) R7 4700G / 4750G (3.6 Ghz; 8 Cores; 12 MB Cache)	
	Chipset: AMD PRO 565 Chipset	
Memory ^{4, 5, 6,8}	32GB / 16 GB / 8 GB / 4 GB DDR4 2400 MHz UDIMM • 2DIMM Slots up to 64 GB of Dual-channel DDR4 2400 / 2666 • 4DIMM Slots up to 128 GB of Dual-channel DDR4 2400 / 266	
Storage	Hard disk drive • Supports upto 2 TB / 1 TB / 500 GB 3.5-inch 7200 RPM • Supports upto 1 TB SSD	
Optical media drive	16X DVD-RW drive / 24X DVD-RW drive	
Audio	Integrated high-definition audio controller	
Communication	LAN – Gigabit Ethernet WLAN with PXE support (DASH Option	al)
Expansion slot(s)	1x PCle x16 slot 2x PCle x1 slot	1 x M. 2 slot WIFI 1 x M.2 slot for SSD
I/O Ports	Front: 2 USB2.0, 2 USB 3.2 Gen 1 Rear: 2 USB2.0, 2 USB 3.2 Gen 1, 1 USB Type C	
	1 Serial Port – Optional 1 Parallel Port – Optional 1 VGA, 1 HDMI, 1 DP	
	Audio Ports: Front: 1 Combo Port Rear: 1Line in, 1Line out, 1Mic	
Security	HW TPM v2.0 (Optional) Kensington lock slot	
Dimensions	390 (H) x 170 (W) x 370 (D) mm - MT	
Power Supply	MT Chassis: 200W. Optional: 200W, 250 W 85% Efficiency / 300W / 300W 90% Efficiency	
Certification	FCC , UL , Win 10 , Energy Star 8.0 ,	
Options and accessories	USB keyboard 104 keys and USB mouse USB Heavy duty Keyboard (optional), USB Mechanical Keyboard(optional) Wireless Keyboard and Mouse (Optional) Antivirus (Mcafee) 1 yr / 3 yr	
	Graphics Card 512MB/ 1 GB / 2 GB / 4 GB 95W TDP (95W TDP on MT Chassis only)	For systems with a dual-channel configuration, the two memory modules inserted must be
Ryzen and Pinnacle ri Specifications vary de G4-bit software is requ A 64-bit operating sys	dge processors require dedicated Graphics card pending on model. irred to enjoy the advantages of 64-bit processing. tem is required to enjoy the ultimate performance of 4 GB or higher memory.	identical, including raw card, size, type, and speed. 9. IEEE 802.11 a/b/g/n/ac WLAN, Bluetooth 4.2 10. RJ 45 Port with 10/100/1000 with PXE Support 11. IPV6 Support.
 1 GB is 1 billion bytes, materials and operatin disk capacity as dedic 	ary, depending on the CPU, chipset or memory fitted. Actual formatted capacity is less and may vary depending on preloaded go environment. Recovery Management uses a portion of the stated hard ated backup space.	12. Graphics Integrated.
Total available graphic	cs memory comprises dedicated video memory, system memory, and shared figure will vary depending on system memory, installed drivers, BIOS	

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region. As a phenomenon known to thin-film transistors (TFTs), liquid crystal displays (LCDs) commonly exhibit a small number of discoloration dots, as so-called "non-conforming pixels." This phenomenon is a limitation of TFT LCD technology, not a product defect, and as such is not covered by Acer's warranty.

© 2018. All rights reserved.

Microsoft and Windows are registered trademarks of Microsoft Corporation.